



GUANGDONG HENGHE YONGSHENG GROUP CO.,LTD.

Hanhe Industrial Park, Jinli, Gaoyao, Zhaoqing, Guangdong, China

Tel :86-758-8591688 EXT:831 Fax:86-758-8591666

Web: <http://www.henghe-group.com> Email: henry@henghe-group.com

Technical of Data Sheet (TDS)

ARCHCOTE LR-6162

Acrylic emulsion

Description

LR-6162 low odor styrene acrylic emulsion is an anionic acrylic emulsion with low odor and low VOC characters, with outstanding water resistance, scrub resistance and alkali resistance, can be used for interior wall paints, general exterior wall paints and primer.

Key Features

1. Low odor, low VOC
2. Excellent film-forming property
3. Excellent scrub resistance
- 4, outstanding water resistance and alkali resistance
5. APEO-free, no formaldehyde added

Typical Properties

Polymer Types	Acrylic Copolymer Emulsion
Physical Appearance	Milky White
Solid Content (%)	48±1
Viscosity (cps)	4000-8000 (NDJ-4, 3#/12rpm/25°C)
MFFT (°C)	22
Tg (°C)	32
pH value	6.5-8.5

* These properties are typical but do not constitute specifications



GUANGDONG HENGHE YONGSHENG GROUP CO.,LTD.

Hanhe Industrial Park, Jinli, Gaoyao, Zhaoqing, Guangdong, China

Tel :86-758-8591688 EXT:831

Fax:86-758-8591666

Web: <http://www.henghe-group.com> Email: henry@henghe-group.com

Additional Information

Storage Life (Shelf Life): 12 Months from date of production

Packaging: 50 kgs, 160 kgs, 200kgs, IBC

Storage:

The product should be stored in dry condition between 5~35°C with the integrity of the packaging, and prevented from direct sunlight. The validity of this product is for 6 months, performance assessment is recommended before use after shelf life. The product should be protected from freezing during storage. It is suggested to filter before application and use up once the package is open.

Precautions:

Guangdong Henghe Yongsheng Group Co., Ltd. recommends that customers should check with Materials Safety Data Sheet (MSDS) for details about safety instructions. In case of skin contact: Wash with plenty of water/soap. In case of skin reactions, consult a physician. In case of eye contact: Rinse cautiously with water for at least 20 minutes. Tilt the head in order to avoid contact with the other eye. Contact an ophthalmologist

We also suggest that you contact the suppliers of other materials used in our recommended formulations and consult appropriate health and safety regulations prior to use. The information contained herein is believed to be reliable. However, nothing in this technical sheet should be considered as a representation of warranty, express or implicit, regarding the product characteristics, application, quality, safety, merchantability or fitness for a particular purpose. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner

GUANGDONG HENGHE YONGSHENG GROUP CO., LTD.

Addrss:Hanhe Industrial Park,Jinli,Gaoyao District,Zhao Qing City of Guangdong, China

Tel:+86 0758-8591666

Fax:+86 0758-8591588

Website:www.henghe-group.com